

# **SUPERTEC**

Ceilings & Board





**WOODEN SLAT  
ACOUSTIC PANEL**


## INTRODUCTION

Each slat is composed of environmentally friendly wooden panels and formaldehyde-free, sound-absorbing polyester panels. The combination of wooden slats and acoustic felt can effectively absorb echoes in the space while enhancing the visual aesthetics. The surface can be customized with veneer and PVC finishes according to customer needs.

This product uses high-quality, durable and environmentally friendly base materials, and has been certified by authoritative organizations. It is widely used in offices, homes, businesses and other places.




## PRODUCT DIMENSIONS



## PRODUCTION PROCESS

Soon to be manufactured locally at **SUPERTEC**'s world-class factory in Alrode, Gauteng.



## MATERIAL

Combination of acoustic felt, eco-friendly MDF and wood veneer:

PET: 1350g/m<sup>2</sup>


MDF: 750kg/m<sup>3</sup>

SIZE:

Length: 2700 & 3000mm

Width: 600mm



Thickness: 21mm



## SPECIFICATIONS

Material	MDF + PET + Veneer
Finish	Wood Veneer or PVC
Length	2700mm & 3000mm
Width	600mm customised
Thickness	21mm
Eco-level	(MDF Board) CARB P2
NRC	Sound absorption coefficient NRC=0.7
Clean	Clean with a vacuum cleaner or a dry cloth. (Not with water)
Installation	Screws or Mounting Glue

## SOUND ABSORPTION



## COLOUR

### Technical Wood Veneer



White Oak  
T001

Walnut  
T002

Smoke Oak  
T004

Grey Oak  
T005

Black Oak  
T006

Brown Walnut  
T009

## ACCESSORIES

